



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-014092/D002.R000  
**Report Date:** 11/30/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/22/22 14:25

**Customer:** Lifted Made  
**Product identity:** 110222FLR1001- Watermelon 25mg D8  
**Client/Metric ID:** .  
**Laboratory ID:** 22-014092-0006

### Summary

**Potency:**

Analyte per 3.3g	Result	Limits	Units	Status	
Δ8-THCV per 3.3g	0.106		mg/3.3g		CBD-Total per Serving Size <LOQ
Δ8-THC per 3.3g	23.1		mg/3.3g		THC-Total per Serving Size <LOQ
(Reported in milligrams per serving)					

**Residual Solvents:**

*All analytes passing and less than LOQ.*

**Pesticides:**

*All analytes passing and less than LOQ.*

**Metals:**

Analyte	Result	Units	Limit	Status
Lead	0.0541	mg/kg	0.500	pass



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-014092/D002.R000  
**Report Date:** 11/30/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/22/22 14:25

**Customer:** Lifted Made

**Product identity:** 110222FLR1001- Watermelon 25mg D8

**Client/Metric ID:** .

**Sample Date:**

**Laboratory ID:** 22-014092-0006

**Evidence of Cooling:** No

**Temp:** 16.6

**Relinquished by:** fedex

**Serving Size #1:** 3.3 g

### Sample Results

Potency per 3.3g		Method: J AOAC 2015 V98-6 (mod) <sup>b</sup>		Units mg/se	Batch: 2210101	Analyze: 11/23/22 6:38:00 PM
Analyte	Result	Limits	Units	LOQ	Notes	
CBC per 3.3g	< LOQ		mg/3.3g	0.105		
CBC-A per 3.3g	< LOQ		mg/3.3g	0.105		
CBC-Total per 3.3g	< LOQ		mg/3.3g	0.197		
CBD per 3.3g	< LOQ		mg/3.3g	0.105		
CBD-A per 3.3g	< LOQ		mg/3.3g	0.105		
CBD-Total per 3.3g	< LOQ		mg/3.3g	0.197		
CBDV per 3.3g	< LOQ		mg/3.3g	0.105		
CBDV-A per 3.3g	< LOQ		mg/3.3g	0.105		
CBDV-Total per 3.3g	< LOQ		mg/3.3g	0.196		
CBE per 3.3g	< LOQ		mg/3.3g	0.105		
CBG per 3.3g	< LOQ		mg/3.3g	0.105		
CBG-A per 3.3g	< LOQ		mg/3.3g	0.105		
CBG-Total per 3.3g	< LOQ		mg/3.3g	0.196		
CBL per 3.3g	< LOQ		mg/3.3g	0.105		
CBL-A per 3.3g	< LOQ		mg/3.3g	0.105		
CBL-Total per 3.3g	< LOQ		mg/3.3g	0.197		
CBN per 3.3g	< LOQ		mg/3.3g	0.105		
CBT per 3.3g	< LOQ		mg/3.3g	0.105		
Δ8-THCV per 3.3g	0.106		mg/3.3g	0.105		
Δ10-THC per 3.3g	< LOQ		mg/3.3g	0.105		
Δ8-THC per 3.3g	23.1		mg/3.3g	0.105		
Δ9-THC per 3.3g	< LOQ		mg/3.3g	0.105		
exo-THC per 3.3g	< LOQ		mg/3.3g	0.105		
THC-A per 3.3g	< LOQ		mg/3.3g	0.105		
THC-Total per 3.3g	< LOQ		mg/3.3g	0.197		
THCV per 3.3g	< LOQ		mg/3.3g	0.105		
THCV-A per 3.3g	< LOQ		mg/3.3g	0.105		
THCV-Total per 3.3g	< LOQ		mg/3.3g	0.197		
Total Cannabinoids per 3.3g	23.2		mg/3.3g			



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-014092/D002.R000  
**Report Date:** 11/30/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/22/22 14:25

Solvents											Method: Residual Solvents by GC/MS <sup>b</sup>					Units µg/g		Batch 2210137		Analyze 11/29/22 12:04 PM				
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes													
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass														
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200															
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass														
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200															
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0															
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass														
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass														
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass														
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass														
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass														
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass														
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200															
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass														
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200															
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0															
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200															
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass														
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass														
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass														



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-014092/D002.R000  
**Report Date:** 11/30/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/22/22 14:25

Pesticides											
Method: AOAC 2007.01 & EN 15662 (mod) <sup>b</sup>											
Units mg/kg Batch 2210090 Analyze 11/28/22 07:42 AM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin <sup>‡</sup>	< LOQ	0.50	0.250	pass		Acephate <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Acequinocyl <sup>‡</sup>	< LOQ	2.0	1.00	pass		Acetamiprid <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Aldicarb <sup>‡</sup>	< LOQ	0.40	0.200	pass		Azoxystrobin <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Bifenazate <sup>‡</sup>	< LOQ	0.20	0.100	pass		Bifenthrin <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Boscalid <sup>‡</sup>	< LOQ	0.40	0.200	pass		Carbaryl <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Carbofuran <sup>‡</sup>	< LOQ	0.20	0.100	pass		Chlorantraniliprole <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Chlorfenapyr <sup>‡</sup>	< LOQ	1.0	0.500	pass		Chlorpyrifos <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Clofentezine <sup>‡</sup>	< LOQ	0.20	0.100	pass		Cyfluthrin <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Cypermethrin <sup>‡</sup>	< LOQ	1.0	0.500	pass		Daminozide <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Diazinon <sup>‡</sup>	< LOQ	0.20	0.100	pass		Dichlorvos <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Dimethoate <sup>‡</sup>	< LOQ	0.20	0.100	pass		Ethoprophos <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Etofenprox <sup>‡</sup>	< LOQ	0.40	0.200	pass		Etoxazole <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Fenoxycarb <sup>‡</sup>	< LOQ	0.20	0.100	pass		Fenpyroximate <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Fipronil <sup>‡</sup>	< LOQ	0.40	0.200	pass		Flonicamid <sup>‡</sup>	< LOQ	1.0	0.400	pass	
Fludioxonil <sup>‡</sup>	< LOQ	0.40	0.200	pass		Hexythiazox <sup>‡</sup>	< LOQ	1.0	0.400	pass	
Imazalil <sup>‡</sup>	< LOQ	0.20	0.100	pass		Imidacloprid <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Kresoxim-methyl <sup>‡</sup>	< LOQ	0.40	0.200	pass		Malathion <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Metalaxyl <sup>‡</sup>	< LOQ	0.20	0.100	pass		Methiocarb <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Methomyl <sup>‡</sup>	< LOQ	0.40	0.200	pass		MGK-264 <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Myclobutanil <sup>‡</sup>	< LOQ	0.20	0.100	pass		Naled <sup>‡</sup>	< LOQ	0.50	0.250	pass	
Oxamyl <sup>‡</sup>	< LOQ	1.0	0.500	pass		Paclobotrazole <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Parathion-Methyl <sup>‡</sup>	< LOQ	0.20	0.100	pass		Permethrin <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Phosmet <sup>‡</sup>	< LOQ	0.20	0.100	pass		Piperonyl butoxide <sup>‡</sup>	< LOQ	2.0	1.00	pass	
Prallethrin <sup>‡</sup>	< LOQ	0.20	0.100	pass		Propiconazole <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Propoxur <sup>‡</sup>	< LOQ	0.20	0.100	pass		Pyrethrin I (total) <sup>‡</sup>	< LOQ	1.0	0.500	pass	
Pyridaben <sup>‡</sup>	< LOQ	0.20	0.100	pass		Spinosad <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Spiromesifen <sup>‡</sup>	< LOQ	0.20	0.100	pass		Spirotetramat <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Spiroxamine <sup>‡</sup>	< LOQ	0.40	0.200	pass		Tebuconazole <sup>‡</sup>	< LOQ	0.40	0.200	pass	
Thiacloprid <sup>‡</sup>	< LOQ	0.20	0.100	pass		Thiamethoxam <sup>‡</sup>	< LOQ	0.20	0.100	pass	
Trifloxystrobin <sup>‡</sup>	< LOQ	0.20	0.100	pass							

Metals										
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes		
Arsenic	< LOQ	0.200	mg/kg	0.0160	2210100	11/23/22 AOAC 2013.06 (mod.) <sup>b</sup>	pass			
Cadmium	< LOQ	0.200	mg/kg	0.0160	2210100	11/23/22 AOAC 2013.06 (mod.) <sup>b</sup>	pass			
Lead	0.0541	0.500	mg/kg	0.0160	2210100	11/23/22 AOAC 2013.06 (mod.) <sup>b</sup>	pass			
Mercury	< LOQ	0.100	mg/kg	0.00801	2210100	11/23/22 AOAC 2013.06 (mod.) <sup>b</sup>	pass			



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-014092/D002.R000  
**Report Date:** 11/30/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/22/22 14:25

**Mycotoxins**

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B2 <sup>‡</sup>	< LOQ		µg/kg	5.00	2210135	11/29/22 AOAC 2007.01 & EN 15662 (mod) <sup>‡</sup>		
Aflatoxin B1 <sup>‡</sup>	< LOQ		µg/kg	5.00	2210135	11/29/22 AOAC 2007.01 & EN 15662 (mod) <sup>‡</sup>		
Aflatoxin G1 <sup>‡</sup>	< LOQ		µg/kg	5.00	2210135	11/29/22 AOAC 2007.01 & EN 15662 (mod) <sup>‡</sup>		
Aflatoxin G2 <sup>‡</sup>	< LOQ		µg/kg	5.00	2210135	11/29/22 AOAC 2007.01 & EN 15662 (mod) <sup>‡</sup>		
Ochratoxin A <sup>‡</sup>	< LOQ	20.0	µg/kg	5.00	2210135	11/29/22 AOAC 2007.01 & EN 15662 (mod) <sup>‡</sup>	pass	
Total Aflatoxins <sup>‡</sup>	0.000	20.0	µg/kg	20.0		11/29/22 AOAC 2007.01 & EN 15662 (mod) <sup>‡</sup>	pass	



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-014092/D002.R000  
**Report Date:** 11/30/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/22/22 14:25

### Abbreviations

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓐ = ISO/IEC 17025:2017 accredited method.

Ⓜ = TNI accredited analyte.

### Units of Measure

g = g

µg/g = Microgram per gram

µg/kg = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/3.3g = Milligram per 3.3g

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner  
General Manager



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

Report Number: 22-014092/D002.R000  
Report Date: 11/30/2022  
ORELAP#: OR100028  
Purchase Order:  
Received: 11/22/22 14:25



LIFTEDMADE 22-014092



Lifted Made



Hemp & Cannabis: Usable / Extract / Finished Product  
Chain of Custody Record  
ORELAP ID: OR100028 ANAB ISO 17025 ID: AT-1508

Document Control ID: 2832 Revision: 5  
Effective: 01/04/2022

Company: Lifted Made - report as "MCM Gummies" Contact: Chris Martin Address: Leave blank on report City: _____ State: _____ Zip Code: _____ <input checked="" type="checkbox"/> Email Results: <a href="mailto:chris@mcmgummies.com">chris@mcmgummies.com</a> <input checked="" type="checkbox"/> Ph: (702) - 728-0966 Billing Contact (if different): <i>Lifted Made, Inc.</i> Name: Chris Romano Email: <a href="mailto:chris@liftedmade.com">chris@liftedmade.com</a> Address: 5511 95th Ave City: Kenosha State: WI Zip: <del>53128</del> <i>53144</i> Ph: (847) - 800-2656			<b>Analysis Requested</b> <input type="checkbox"/> Potency <input type="checkbox"/> Microbiom <input type="checkbox"/> Heavy Metals <input type="checkbox"/> Residual Solvent <input type="checkbox"/> Pesticide					PO Number: _____ Project ID: _____ Batch ID: _____ Sampled by: _____ Custom Reporting: _____ Source Material: <input checked="" type="checkbox"/> Ind. Hemp product   <input type="checkbox"/> Rec. Cannabis Reporting Type: <input checked="" type="checkbox"/> Compliance   <input type="checkbox"/> R&D Report to: <input type="checkbox"/> METRC   <input type="checkbox"/> ODA   <input type="checkbox"/> USDA   <input type="checkbox"/> Other: Turnaround time (TAT - Business Days): <input type="checkbox"/> - 5BD   <input type="checkbox"/> - 3BD*   <input checked="" type="checkbox"/> - 2BD* <i>*Check for availability</i>		
Lab ID	Client Sample Identification	Sample date	Potency	Microbiom	Heavy Metals	Residual Solvent	Pesticide	Material Type #	Weight (Units)	Comments/Metric ID
101322FLR1002	- Strawberry 50mg D8	10/13/22	✓	✓	✓	✓	✓		3.3G	edible gummy samples - please note variance in weights by SKU Please add Logo attached to this email to reporting
101922FLR1001	- Blue Raspberry 25mg D8	10/19/22	✓	✓	✓	✓	✓	3.3G		
110122FLR1003	- Blueberry Sleep Aid	11/01/22	✓	✓	✓	✓	✓	3.3G		
110122FLR1002	- Pineapple 50mg D8	11/01/22	✓	✓	✓	✓	✓	3.3G		
110122FLR1001	- Pineapple 25mg D8	11/01/22	✓	✓	✓	✓	✓	3.3G		
110222FLR1001	- Watermelon 25mg D8	11/02/22	✓	✓	✓	✓	✓	3.3G		
110222FLR1003	- Strawberry 25mg D8	11/02/22	✓	✓	✓	✓	✓	3.3G		
110222FLR1004	- Blue Raspberry 25mg D8	11/02/22	✓	✓	✓	✓	✓	3.3G		
110322FLR1001	- Blue Raspberry 50mg D8	11/03/22	✓	✓	✓	✓	✓	3.3G		
Signature - Relinquished By: <i>[Signature]</i> Date: 11-14 Time: _____			Signature - Received By: <i>AC</i> Date: 11-16 Time: 14:25			Lab Use Only: <input checked="" type="checkbox"/> Shipped Via: <i>Fedex</i> or <input type="checkbox"/> Client drop off Evidence of cooling: <input type="checkbox"/> Yes   <input checked="" type="checkbox"/> No - Temp (°C): <i>16.6</i> Sample in good condition: <input checked="" type="checkbox"/> Yes   <input type="checkbox"/> No Payment: <input type="checkbox"/> Cash   <input type="checkbox"/> Check   <input type="checkbox"/> CC   <input type="checkbox"/> Net: Prelog storage: _____				

\* - Material Type Codes: Plant Material (P) ; Isolate (I) ; Concentrate/Extract (C) ; Tincture/Topical (T) ; Edible (E) ; Beverage (B) ; Vapor Product (V)  
 Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this CDC. By signing "Relinquished by" you are agreeing to these terms  
 12423 NE Whitaker Way Portland, OR 97230 P: (503) 254-1794 | Fax: (503) 254-1452 info@columbialaboratories.com Page \_\_\_\_\_ of \_\_\_\_\_ www.columbialaboratories.com



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-014092/D002.R000  
**Report Date:** 11/30/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/22/22 14:25

Revision: 3 Document ID: 3120  
 Legacy ID: CFL-C21 Worksheet Validated 10/30/2020

**Laboratory Pesticide Quality Control Results**

AOAC 2007.1 & EN 15662		Units: mg/Kg		Batch ID: 2210090				
Method Blank		Laboratory Control Sample						
Analyte	Blank Result	Blank Limits	Notes	LCS Result	LCS Spike	LCS % Rec	Limits	Notes
Abamectin	0.000	< 0.250		0.851	1.000	85.1	50.0	150
Acephate	0.000	< 0.200		0.681	0.800	85.2	60.0	120
Acetaminocyl	0.000	< 1.000		4.274	4.000	106.9	40.0	160
Acetamiprid	0.000	< 0.100		0.388	0.400	97.0	60.0	120
Aldicarb	0.000	< 0.200		0.771	0.800	96.4	60.0	120
Azoxystrobin	0.000	< 0.100		0.392	0.400	97.9	60.0	120
Bifenazate	0.000	< 0.100		0.424	0.400	106.0	60.0	120
Bifenthrin	0.000	< 0.100		0.397	0.400	99.3	50.0	150
Boscalid	0.000	< 0.200		0.767	0.800	95.9	60.0	120
Carbaryl	0.000	< 0.100		0.394	0.400	98.5	60.0	120
Carbofuran	0.000	< 0.100		0.380	0.400	95.0	60.0	120
Chlorantraniliprole	0.000	< 0.100		0.384	0.400	96.1	60.0	120
Chlorfenapyr	0.000	< 0.500		1.861	2.000	93.1	60.0	120
Chlorpyrifos	0.000	< 0.100		0.344	0.400	86.0	60.0	120
Clofentazine	0.000	< 0.100		0.337	0.400	84.1	60.0	120
Cyfluthrin	0.000	< 0.500		1.310	2.000	65.5	50.0	150
Cypermethrin	0.000	< 0.500		1.262	2.000	63.1	50.0	150
Daminozide	0.000	< 0.500		1.451	2.000	72.6	60.0	120
Diazinon	0.000	< 0.100		0.375	0.400	93.9	60.0	120
Dichlorvos	0.000	< 0.500		1.865	2.000	93.3	60.0	120
Dimethoate	0.000	< 0.100		0.392	0.400	98.0	60.0	120
Ethoprophos	0.000	< 0.100		0.389	0.400	97.2	60.0	120
Etofenprox	0.000	< 0.200		0.788	0.800	98.5	50.0	150
Etoxazole	0.000	< 0.100		0.369	0.400	92.2	60.0	120
Fenoxycarb	0.000	< 0.100		0.393	0.400	98.1	60.0	120
Fenpyroximate	0.000	< 0.200		0.645	0.800	80.7	60.0	120
Fipronil	0.000	< 0.200		0.769	0.800	96.1	60.0	120
Fonicamid	0.000	< 0.250		1.200	1.000	120.0	60.0	120
Fludioxonil	0.000	< 0.200		0.754	0.800	94.2	50.0	150
Hexythiazox	0.000	< 0.250		0.950	1.000	95.0	60.0	120
Imazalil	0.000	< 0.100		0.393	0.400	98.2	60.0	120
Imidacloprid	0.000	< 0.200		0.951	0.800	118.9	60.0	120
Kresoxim-methyl	0.000	< 0.200		0.790	0.800	98.7	60.0	120
Malathion	0.000	< 0.100		0.395	0.400	98.7	60.0	120
Metlaxyl	0.000	< 0.100		0.383	0.400	95.6	60.0	120
Methiocarb	0.000	< 0.100		0.471	0.400	117.8	60.0	120
Methomyl	0.000	< 0.200		0.838	0.800	104.7	60.0	120
MGK-264	0.000	< 0.100		0.406	0.400	101.5	50.0	150
Myclobutanil	0.000	< 0.100		0.392	0.400	97.9	60.0	120
Naled	0.000	< 0.250		0.938	1.000	93.8	50.0	150
Oxamyl	0.000	< 0.500		2.365	2.000	118.2	60.0	120
Pacllobutrazole	0.000	< 0.200		0.762	0.800	95.2	60.0	120
Parathion-Methyl	0.000	< 0.100		0.383	0.400	95.8	50.0	150
Permethrin	0.000	< 0.100		0.354	0.400	88.4	50.0	150
Phosmet	0.000	< 0.100		0.384	0.400	96.1	50.0	150
Piperonyl butoxide	0.000	< 0.500		1.901	2.000	95.1	60.0	120
Prallethrin	0.000	< 0.100		0.373	0.400	93.3	60.0	120
Propiconazole	0.000	< 0.200		0.788	0.800	98.5	60.0	120
Propoxur	0.000	< 0.100		0.391	0.400	97.8	60.0	120
Pyrethrin (Summe)	0.000	< 0.100		0.493	0.433	113.9	60.0	120
Pyridaben	0.000	< 0.100		0.424	0.400	106.1	50.0	150
Spinosad	0.000	< 0.100		0.369	0.388	95.1	50.0	150
Spiromesifen	0.000	< 0.100		0.408	0.400	101.9	60.0	120
Spirotetramat	0.000	< 0.100		0.399	0.400	99.7	60.0	120
Spiroxamine	0.000	< 0.200		0.770	0.800	96.3	60.0	120
Tebuconazole	0.000	< 0.200		0.781	0.800	97.6	60.0	120
Thiacloprid	0.000	< 0.100		0.378	0.400	94.5	60.0	120
Thiamethoxam	0.000	< 0.100		0.478	0.400	119.5	60.0	120
Trifloxystrobin	0.000	< 0.100		0.373	0.400	93.3	60.0	120





12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



Report Number: 22-014092/D002.R000  
Report Date: 11/30/2022  
ORELAP#: OR100028  
Purchase Order:  
Received: 11/22/22 14:25

Revision: 3 Document ID: 3120  
Legacy ID: CFL-C21 Worksheet Validated 10/30/2020

Laboratory Pesticide Quality Control Results

AOAC 2007.1 & EN 15662		Units: mg/Kg					Batch ID: 2210090			
Matrix Spike/Matrix Spike Duplicate Recoveries		Sample ID: 22-014092-0005								
Analyte	Result	MS Res	MSD Res	Spike	RPD%	Limit	MS % Rec	MSD % Rec	Limits	Notes
Abamectin	0.000	0.857	0.912	1.000	6.3%	< 30	85.7%	91.2%	50 - 150	
Acephate	0.000	0.650	0.653	0.800	0.4%	< 30	81.2%	81.6%	50 - 150	
Acetaminocyl	0.000	4.400	4.528	4.000	2.9%	< 30	110.0%	113.2%	50 - 150	
Acetamiprid	0.000	0.388	0.387	0.400	0.1%	< 30	96.9%	96.8%	50 - 150	
Aldicarb	0.000	0.770	0.808	0.800	4.8%	< 30	96.2%	101.0%	50 - 150	
Azoxystrobin	0.000	0.392	0.397	0.400	1.5%	< 30	97.9%	99.4%	50 - 150	
Bifenazate	0.000	0.426	0.430	0.400	0.8%	< 30	106.5%	107.4%	50 - 150	
Bifenthrin	0.000	0.404	0.412	0.400	2.1%	< 30	100.9%	103.1%	50 - 150	
Boscalid	0.000	0.765	0.801	0.800	4.5%	< 30	95.6%	100.1%	50 - 150	
Carbaryl	0.000	0.387	0.394	0.400	1.7%	< 30	96.9%	98.5%	50 - 150	
Carbofuran	0.000	0.379	0.391	0.400	3.1%	< 30	94.7%	97.7%	50 - 150	
Chlorantraniliprole	0.000	0.382	0.402	0.400	5.1%	< 30	95.4%	100.5%	50 - 150	
Chlorfenapyr	0.000	1.780	1.884	2.000	5.7%	< 30	89.0%	94.2%	50 - 150	
Chlorpyrifos	0.000	0.325	0.321	0.400	1.2%	< 30	81.2%	80.3%	50 - 150	
Clofentazine	0.000	0.296	0.286	0.400	3.5%	< 30	74.0%	71.4%	50 - 150	
Cyfluthrin	0.000	1.459	1.561	2.000	6.8%	< 30	73.0%	78.1%	30 - 150	
Cypermethrin	0.000	1.466	1.524	2.000	3.9%	< 30	73.3%	76.2%	50 - 150	
Daminozide	0.083	1.415	1.488	2.000	5.3%	< 30	66.6%	70.3%	30 - 150	
Diazinon	0.000	0.376	0.385	0.400	2.4%	< 30	94.0%	96.3%	50 - 150	
Dichlorvos	0.000	1.811	1.852	2.000	2.2%	< 30	90.6%	92.6%	50 - 150	
Dimethoate	0.000	0.394	0.397	0.400	0.6%	< 30	98.5%	99.1%	50 - 150	
Ethoprophos	0.000	0.376	0.390	0.400	3.6%	< 30	94.0%	97.4%	50 - 150	
Etofenprox	0.000	0.817	0.828	0.800	1.4%	< 30	102.1%	103.5%	50 - 150	
Etoxazole	0.000	0.380	0.386	0.400	1.5%	< 30	95.1%	96.6%	50 - 150	
Fenoxycarb	0.000	0.393	0.405	0.400	3.2%	< 30	98.2%	101.3%	50 - 150	
Fenpyroximate	0.000	0.721	0.739	0.800	2.5%	< 30	90.1%	92.4%	50 - 150	
Fipronil	0.000	0.808	0.850	0.800	5.1%	< 30	100.9%	106.3%	50 - 150	
Fonicamid	0.000	1.007	1.033	1.000	2.5%	< 30	100.7%	103.3%	50 - 150	
Fludioxonil	0.000	0.780	0.771	0.800	1.2%	< 30	97.5%	96.4%	50 - 150	
Hexythiazox	0.000	1.141	1.166	1.000	2.2%	< 30	114.1%	116.6%	50 - 150	
Imazalil	0.000	0.393	0.402	0.400	2.3%	< 30	98.1%	100.4%	50 - 150	
Imidacloprid	0.000	0.774	0.796	0.800	2.8%	< 30	96.8%	99.5%	50 - 150	
Kresoxim-methyl	0.000	0.768	0.814	0.800	5.7%	< 30	96.1%	101.7%	50 - 150	
Malathion	0.000	0.397	0.402	0.400	1.4%	< 30	99.2%	100.6%	50 - 150	
Metaxalyl	0.000	0.386	0.392	0.400	1.5%	< 30	96.4%	97.9%	50 - 150	
Methiocarb	0.000	0.396	0.411	0.400	3.9%	< 30	98.9%	102.9%	50 - 150	
Methomyl	0.000	0.830	0.695	0.800	17.7%	< 30	103.7%	86.8%	50 - 150	
MGK-264	0.000	0.398	0.402	0.400	0.8%	< 30	99.6%	100.4%	50 - 150	
Myclobutanil	0.000	0.383	0.390	0.400	1.9%	< 30	95.8%	97.6%	50 - 150	
Naled	0.000	0.948	1.003	1.000	5.6%	< 30	94.8%	100.3%	50 - 150	
Oxamyl	0.000	2.012	2.123	2.000	5.4%	< 30	100.6%	106.1%	50 - 150	
Pacllobutrazole	0.000	0.775	0.795	0.800	2.5%	< 30	96.9%	99.4%	50 - 150	
Parathion-Methyl	0.000	0.381	0.444	0.400	15.2%	< 30	95.2%	110.9%	30 - 150	
Permethrin	0.000	0.381	0.389	0.400	2.2%	< 30	95.2%	97.4%	50 - 150	
Phosmet	0.000	0.386	0.398	0.400	2.9%	< 30	96.5%	99.4%	50 - 150	
Piperonyl butoxide	0.000	1.926	1.966	2.000	2.0%	< 30	96.3%	98.3%	50 - 150	
Prallethrin	0.000	0.371	0.395	0.400	6.5%	< 30	92.7%	98.9%	50 - 150	
Propiconazole	0.000	0.772	0.793	0.800	2.7%	< 30	96.5%	99.2%	50 - 150	
Propoxur	0.000	0.385	0.389	0.400	1.2%	< 30	96.2%	97.3%	50 - 150	
Pyrethrin (Summe)	0.000	0.766	0.784	0.433	2.3%	< 30	176.9%	181.1%	50 - 150	
Pyridaben	0.000	0.438	0.449	0.400	2.4%	< 30	109.6%	112.3%	50 - 150	
Spinosad	0.000	0.380	0.384	0.388	0.9%	< 30	98.1%	98.9%	50 - 150	
Spiromesifen	0.000	0.419	0.401	0.400	4.2%	< 30	104.7%	100.3%	50 - 150	
Spirotetramat	0.000	0.393	0.405	0.400	3.2%	< 30	98.2%	101.4%	50 - 150	
Spiroxamine	0.000	0.776	0.797	0.800	2.7%	< 30	97.1%	99.7%	50 - 150	
Tebuconazole	0.000	0.792	0.816	0.800	2.9%	< 30	99.0%	102.0%	50 - 150	
Thiacloprid	0.000	0.382	0.389	0.400	1.8%	< 30	95.6%	97.3%	50 - 150	
Thiamethoxam	0.000	0.400	0.415	0.400	3.7%	< 30	100.1%	103.9%	50 - 150	
Trifloxystrobin	0.000	0.372	0.375	0.400	1.0%	< 30	92.9%	93.8%	50 - 150	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-014092/D002.R000  
**Report Date:** 11/30/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/22/22 14:25

Revision: 1 Document ID: 7148  
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2210101

Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.0335	0.034	%	98.1	80.0	- 120	Acceptable	
CBDV	2	0.0354	0.035	%	99.9	80.0	- 120	Acceptable	
CBE	2	0.0351	0.035	%	99.1	80.0	- 120	Acceptable	
CBD	1	0.0326	0.032	%	103	90.0	- 110	Acceptable	
CBGA	1	0.0317	0.031	%	101	80.0	- 120	Acceptable	
CBG	1	0.0350	0.033	%	106	80.0	- 120	Acceptable	
CBD	1	0.0348	0.033	%	106	90.0	- 110	Acceptable	
THCV	2	0.0337	0.034	%	99.0	80.0	- 120	Acceptable	
d8THCV	2	0.0356	0.036	%	98.2	80.0	- 120	Acceptable	
THCVA	2	0.0323	0.033	%	97.3	80.0	- 120	Acceptable	
CBN	1	0.0350	0.034	%	103	80.0	- 120	Acceptable	
exo-THC	2	0.0323	0.033	%	98.7	80.0	- 120	Acceptable	
d9THC	1	0.0339	0.034	%	99.7	90.0	- 110	Acceptable	
d8THC	1	0.0323	0.034	%	94.1	90.0	- 110	Acceptable	
CBL	2	0.0322	0.033	%	96.5	80.0	- 120	Acceptable	
d10THC	1	0.0310	0.030	%	103	80.0	- 120	Acceptable	
CBC	2	0.0340	0.035	%	97.5	80.0	- 120	Acceptable	
THCA	1	0.0336	0.031	%	109	90.0	- 110	Acceptable	
CBCA	2	0.0342	0.034	%	99.7	80.0	- 120	Acceptable	
CBLA	2	0.0337	0.035	%	95.6	80.0	- 120	Acceptable	
CBT	2	0.0335	0.037	%	91.4	80.0	- 120	Acceptable	

Method Blank									
Analyte	Result	LOQ	Units	Limits		Evaluation	Notes		
CBDVA	<LOQ	0.003	%	< 0.003		Acceptable			
CBDV	<LOQ	0.003	%	< 0.003		Acceptable			
CBE	<LOQ	0.003	%	< 0.003		Acceptable			
CBD	<LOQ	0.003	%	< 0.003		Acceptable			
CBGA	<LOQ	0.003	%	< 0.003		Acceptable			
CBG	<LOQ	0.003	%	< 0.003		Acceptable			
CBD	<LOQ	0.003	%	< 0.003		Acceptable			
THCV	<LOQ	0.003	%	< 0.003		Acceptable			
d8THCV	<LOQ	0.003	%	< 0.003		Acceptable			
THCVA	<LOQ	0.003	%	< 0.003		Acceptable			
CBN	<LOQ	0.003	%	< 0.003		Acceptable			
exo-THC	<LOQ	0.003	%	< 0.003		Acceptable			
d9THC	<LOQ	0.003	%	< 0.003		Acceptable			
d8THC	<LOQ	0.003	%	< 0.003		Acceptable			
CBL	<LOQ	0.003	%	< 0.003		Acceptable			
d10THC	<LOQ	0.003	%	< 0.003		Acceptable			
CBC	<LOQ	0.003	%	< 0.003		Acceptable			
THCA	<LOQ	0.003	%	< 0.003		Acceptable			
CBCA	<LOQ	0.003	%	< 0.003		Acceptable			
CBLA	<LOQ	0.003	%	< 0.003		Acceptable			
CBT	<LOQ	0.003	%	< 0.003		Acceptable			

**Abbreviations**  
ND - None Detected at or above MRL  
RPD - Relative Percent Difference  
LOQ - Limit of Quantitation

**Units of Measure:**  
% - Percent



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-014092/D002.R000  
**Report Date:** 11/30/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/22/22 14:25

Revision: 1 Document ID: 7148  
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6		Batch ID: 2210101						
Sample Duplicate		Sample ID: 22-014090-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBD	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
Δ8THCV	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBN	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
Δ9THC	0.257	0.255	0.003	%	0.802	< 20	Acceptable	
Δ8THC	0.0110	0.0113	0.003	%	2.65	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
Δ10THC	0.0054	0.0055	0.003	%	2.40	< 20	Acceptable	
CBC	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBCA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL  
RPD - Relative Percent Difference  
LOQ - Limit of Quantitation

Units of Measure:



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

Report Number: 22-014092/D002.R000  
 Report Date: 11/30/2022  
 ORELAP#: OR100028  
 Purchase Order:  
 Received: 11/22/22 14:25



Revision: 2 Document ID: 7087  
 Legacy ID: CFL-E33Effective:

Laboratory Quality Control Results

Residual Solvents				Batch ID: 2210137					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
Propane	ND	< 200		433	572	µg/g	75.7	60 - 120	
Isobutane	ND	< 200		524	731	µg/g	71.7	60 - 120	
Butane	ND	< 200		509	731	µg/g	69.6	60 - 120	
2,2-Dimethylpropane	ND	< 200		723	936	µg/g	77.2	60 - 120	
Methanol	ND	< 200		1590	1650	µg/g	96.4	60 - 120	
Ethylene Oxide	ND	< 30		42.7	56.2	µg/g	76.0	60 - 120	
2-Methylbutane	ND	< 200		1550	1650	µg/g	93.9	60 - 120	
Pentane	ND	< 200		1540	1650	µg/g	93.3	60 - 120	
Ethanol	ND	< 200		1540	1660	µg/g	92.8	70 - 130	
Ethyl Ether	ND	< 200		1490	1630	µg/g	91.4	60 - 120	
2,2-Dimethylbutane	ND	< 30		190	189	µg/g	100.5	60 - 120	
Acetone	ND	< 200		1580	1650	µg/g	95.8	60 - 120	
2-Propanol	ND	< 200		1600	1650	µg/g	97.0	60 - 120	
Ethyl Formate	ND	< 500		1350	1610	µg/g	83.9	70 - 130	
Acetonitrile	ND	< 100		494	504	µg/g	98.0	60 - 120	
Methyl Acetate	ND	< 500		1580	1630	µg/g	96.9	70 - 130	
2,3-Dimethylbutane	ND	< 30		154	174	µg/g	88.5	60 - 120	
Dichloromethane	ND	< 60		488	521	µg/g	93.7	60 - 120	
2-Methylpentane	ND	< 30		180	187	µg/g	96.3	60 - 120	
MTBE	ND	< 500		1530	1600	µg/g	95.6	70 - 130	
3-Methylpentane	ND	< 30		183	188	µg/g	97.3	60 - 120	
Hexane	ND	< 30		184	182	µg/g	101.1	60 - 120	
1-Propanol	ND	< 500		1550	1610	µg/g	96.3	70 - 130	
Methylethylketone	ND	< 500		1540	1600	µg/g	96.3	70 - 130	
Ethyl acetate	ND	< 200		1560	1630	µg/g	95.7	60 - 120	
2-Butanol	ND	< 200		1560	1630	µg/g	95.7	60 - 120	
Tetrahydrofuran	ND	< 100		501	506	µg/g	99.0	60 - 120	
Cyclohexane	ND	< 200		1540	1640	µg/g	93.9	60 - 120	
2-methyl-1-propanol	ND	< 500		1450	1620	µg/g	89.5	70 - 130	
Benzene	ND	< 1		4.34	4.93	µg/g	88.0	60 - 120	
Isopropyl Acetate	ND	< 200		1550	1640	µg/g	94.5	60 - 120	
Heptane	ND	< 200		1550	1630	µg/g	95.1	60 - 120	
1-Butanol	ND	< 500		1470	1600	µg/g	91.9	70 - 130	
Propyl Acetate	ND	< 500		1530	1620	µg/g	94.4	70 - 130	
1,4-Dioxane	ND	< 100		463	493	µg/g	93.9	60 - 120	
2-Ethoxyethanol	ND	< 30		154	171	µg/g	90.1	60 - 120	
Methylisobutylketone	ND	< 500		1530	1620	µg/g	94.4	70 - 130	
3-Methyl-1-butanol	ND	< 500		1280	1610	µg/g	79.5	70 - 130	
Ethylene Glycol	ND	< 200		455	494	µg/g	92.1	60 - 120	
Toluene	ND	< 100		475	506	µg/g	93.9	60 - 120	
Isobutyl Acetate	ND	< 500		1550	1620	µg/g	95.7	70 - 130	
1-Pentanol	ND	< 500		1490	1610	µg/g	92.5	70 - 130	
Butyl Acetate	ND	< 500		1450	1610	µg/g	90.1	70 - 130	
Ethylbenzene	ND	< 200		944	996	µg/g	94.8	60 - 120	
m,p-Xylene	ND	< 200		920	1010	µg/g	91.1	60 - 120	
o-Xylene	ND	< 200		934	979	µg/g	95.4	60 - 120	
Cumene	ND	< 30		164	188	µg/g	87.2	60 - 120	
Anisole	ND	< 500		1500	1610	µg/g	93.2	70 - 130	
DMSO	ND	< 500		1410	1600	µg/g	88.1	70 - 130	
1,2-dimethoxyethane	ND	< 50		186	190	µg/g	97.9	70 - 130	
Triethylamine	ND	< 500		1440	1610	µg/g	89.4	70 - 130	
N,N-dimethylformamide	ND	< 150		375	496	µg/g	75.6	70 - 130	
N,N-dimethylacetamide	ND	< 150		458	483	µg/g	94.8	70 - 130	
Pyridine	ND	< 50		145	167	µg/g	86.8	70 - 130	
Sulfolane	ND	< 50		129	161	µg/g	80.1	70 - 130	
1,2-Dichloroethane	ND	< 1		0.834	1	µg/g	83.4	70 - 130	
Chloroform	ND	< 1		0.772	1	µg/g	77.2	70 - 130	
Trichloroethylene	ND	< 1		0.759	1	µg/g	75.9	70 - 130	
1,1-Dichloroethane	ND	< 1		0.802	1	µg/g	80.2	70 - 130	



12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794

**Report Number:** 22-014092/D002.R000  
**Report Date:** 11/30/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/22/22 14:25



Revision: 2 Document ID: 7087  
 Legacy ID: CFL-E33Effective:

QC - Sample Duplicate		Sample ID: 22-014090-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Formate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Methyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	60	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
MTBE	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
1-Propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Methyl ethyl ketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Methylisobutylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
3-Methyl-1-butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Isobutyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1-Pentanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Anisole	ND	ND	500	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Triethylamine	ND	ND	500	µg/g	0.0	< 20	Acceptable	
N,N-dimethylformamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
N,N-dimethylacetamide	ND	ND	150	µg/g	0.0	< 20	Acceptable	
Pyridine	ND	ND	50	µg/g	0.0	< 20	Acceptable	
Sulfolane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chloroform	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Trichloroethylene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	

**Abbreviations**

ND - None Detected at or above MRL  
 RPD - Relative Percent Difference  
 LOQ - Limit of Quantitation

**Units of Measure:**

µg/g - Microgram per gram or ppm



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794



**Report Number:** 22-014092/D002.R000  
**Report Date:** 11/30/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/22/22 14:25





12423 NE Whitaker Way  
 Portland, OR 97230  
 503-254-1794



**Report Number:** 22-014092/D002.R000  
**Report Date:** 11/30/2022  
**ORELAP#:** OR100028  
**Purchase Order:**  
**Received:** 11/22/22 14:25

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.